EFFORTLESSLY EFFICIENT, UNDENIABLY DURABLE.

SINGLE ENGINE COMBINATION MACHINE



GET THE JOB DONE WITH ONE OF THE INDUSTRY'S **MOST SOUGHT** AFTER MACHINES.

*SOME COMPONENTS SHOWN ARE NON-STANDARD.

AS SHOWN:

- 1. 180° Articulating Hose Reel, 600 ft. x 1 in.
- 2. Omnibus™ Precision Power
- 3. Automatic Level Wind Guide
- 4. Cross-Linked Polyethylene Water Tanks
- 5. Lazy Susan Pipe Rack
- 6. Debris Body Dump Station
- 7. Hydro-Excavation Package
- 8. 50 ft. Retractable Low Pressure Handgun Hose Reel
- 9. Aluminum Tool Boxes

- 10. Corten® Steel Debris Tank
- 11. External Load Level Indicator
- 12. Positive Seal Vacuum Breaker
- 13. 10 ft. Telescopic Boom
- 14. Hinged Boom Tie Down
- 15. Rear Door with Hydraulic Door Locks
- 16. Strobe Lighting & Arrow Board
- 17. Water Pump with Suction Strainer
- 18. Wear Back Boom Elbow


FLAT REAR DOOR:

- 19. 6 in. Knife Valve
- 20. Hydraulic Opening Rear Door with Wedge-Style Locks
- 21. Arrow Stick Lighting
- 22. Hydraulic Pump Off

- A. Omnibus™ Precision Power
- B. PD Blower
- C. Aeroboost™ 3-Stage Fan
- D. Wireless Remote
- E. Mainframe Deck Coating
- F. Hydro-Excavation Package

- G. Safety Light Packages
 H. 3yd to 16yd Debris Tank
 I. 500 to 1500 gal. Water Capacity
- J. Hi-Dump

Consult Factory/Dealer for Additional Options



Flat Rear Door

Flat-style rear door features a 6 in. Knife Valve, Arrow Stick Lighting, and Pump Off.

Omnibus™ Precision Power

The Omnibus Precision Power Control System provides complete control of machine functions from one centralized location, all with real-time diagnostics that simplifies the job and required maintenance.

PD Blower

PD Blower with multiple ratings up to 27" Hg and 5,400 CFM.

Aeroboost™3-Stage Fan

Vac•Con's scientifically redesigned intake and fan housing results in a more balanced airflow, decreasing turbulence and allowing for more power, less noise and more reliability.

Wireless Remote

An integrated, enhanced control system that vastly improves usability and efficiency.

